Index to Volume 80

Åberg, K., 99–123
Abu Dalou, A. Y., 393–407
"Accuracy of Molecular Dating with the Rho Statistic: Deviations from Coalescent Expectations Under a Range of Demographic Models," 335–357
ACE gene polymorphism, 303–312
ACP1, 65–72, 409–434
ACPP, 271–286
acute lymphoblastic leukemia, 449–455
ADA, 409–434
Africans, 251–270
Afro-Asiatic languages, 141–159
Agrawal, S., 271–286, 483–499
Ahmad, R., 501–512
AK1, 409–434
Alam, A., 501–512
Åland Islands (Finland), 29–40, 125–140
allergy, 65–72
Almasy, L., 11–28
Alpine populations, 377–391
Al-Shiyab, A.-H., 393–407
Alu insertion, 483–499
Alu insertion-deletion, 251–270
"*Alu* Polymorphic Insertions Reveal Genetic Structure of North Indian Populations," 483–499
Alves, C., 435–448
Amazonian region, 573–579
Amorim, A., 435–448
Anatolia, 535–564
ancient Koreans, 239–250
Andrade-Casseb, A., 573–579
"Angiotensin Converting Enzyme Gene Polymorphism (Insertion/Deletion) and Hypertension in Adult Asian Indians: A Population-Based Study from Calcutta, India," 303–312
anthropometry, 637–654
"Applying Novel Genome-Wide Linkage Strategies to Search for Loci Influencing Type 2 Diabetes and Adult Height in American Samoa," 99–123
Arabs, 73–81
Armenians, 73–81
Arrieta, I., 593–600
Arya, R., 11–28
Ascunce, M. S., 287–302
Asian Indians, 303–312
association studies, 161–179
Assyrians, 73–81
atherosclerosis, 303–312
authenticity, 239–250
"Autosomal Genome-Wide Linkage Analysis to Identify Loci for Gallbladder Wall Thickness in Mexican Americans," 11–28
autosomal microsatellite markers, 601–609
Avars, 655–667
average heterozygosity, 251–270

Banoei, M. M., 73–81
Bansal, I. J. S., 409–434
Bansal, R., 409–434
Barasoain, M., 593–600
Barišić, I., 581–587
barriers, 41–64
Barros-Núñez, P., 449–455
Barta, Z., 655–667
Basque valleys, 593–600
Belgium, 637–654
Benammar-Elgaaied, A., 435–448
Benfer, R. A., Jr., 393–407
Berbers, 435–448
Bergamaschi, A., 65–72
Biloglav, Z., 513–533
biodemography, 377–391
biodistance analysis, 535–564

birth order, 473–482
birth outcome, 29–40
births, 125–140
birth weight, 65–72
Bisen, P. S., 271–286
Blangero, J., 11–28, 623–636
Boëtsch, G., 377–391
Borkar, M., 271–286
Bottini, E., 65–72
Bottini, N., 65–72
Boyce, A. J., 141–159
brachycephalization, 393–407
Brazil, 573–579
Briançon region (France), 377–391
Bućan, K., 513–533
Burgarello, C., 191–198
Byzantine population, 535–564

C1q deficiency, 83–93
C1q gene, 83–93
C3435T polymorphism, 449–455
Campbell, H., 513–533
Caputo, M., 359–376
cardiovascular risk, 513–533
Carothers, A. D., 513–533
cartilage, 1–9
caste populations, 271–286, 409–434
castes, 271–286
caste system, 483–499
Castro-Hernández, C., 457–465
Caucasian populations, 65–72
Caviglia, G. P., 191–198
Central America, lower, 287–302
Central Himalayas, 409–434
cephalic index, 393–407
Cervella, P., 191–198
CGG repeats, 581–587, 593–600
Chahal, S. M. S., 251–270, 409–434
Chaleshtori, M. H., 73–81
Chauhan, U. K., 483–499
Chew, C. H., 83–93
Choh, A. C., 623–636
cholecystitis, 11–28
cholelithiasis, 11–28
Chua, K. H., 83–93
Chumlea, W. C., 1–9, 623–636
cLMPTP (ACP1), 65–72
Cocca, M., 203–237, 675–677
Cole, S. A., 623–636
Colombia, 287–302
"Comparison of Korean and Japanese Head and Face Anthropometric Characteristics," 313–330
"Contribution of Genetics and Environment to Craniofacial Anthropometric Phenotypes in Belgian Nuclear Families," 637–654
correlation coefficients, and birth outcome, 29–40
"Correlations Between Live and Stillbirth Outcomes in Twin Pairs," 29–40
Cox, M. P., 335–357
cranial discrete traits, 535–564
"Cranial Discrete Traits in a Byzantine Population and Eastern Mediterranean Population Movements," 535–564
craniofacial size traits, 637–654
craniofacial variation, 141–159
craniometrics, 313–330, 655–667
C-reactive protein (CRP), 513–533
Creutzfeldt-Jakob disease, 181–190
Criado, B., 593–600
Croatia, 513–533, 581–587
CSF1PO, 435–448, 601–609
Čulić, V., 581–587
cytochrome 1A1 (*CYP1A1*), 457–465
Czech Republic population, 669–674
Czerwinski, S. A., 1–9, 623–636

D2S1328, 271–286
D2S1338, 435–448, 601–609
D3S1358, 271–286, 435–448, 601–609
D4S243, 271–286
D5S818, 271–286, 435–448, 601–609
D7S820, 271–286, 435–448, 601–609
D8S1179, 435–448, 601–609
D9S926, 271–286
D11S2010, 271–286
D13S317, 435–448, 601–609
D13S767, 271–286
D14S306, 271–286
D16S310, 271–286
D16S539, 435–448, 601–609
D18S51, 435–448, 601–609
D18S848, 271–286
D19S433, 435–448, 601–609

D21S11, 435–448, 601–609
Das, M., 303–312
DAT1, 73–81
"*DAT1* VNTR Polymorphisms in a European and an African Population: Identification of a New Allele," 191–198
D-dimer (Dd), 513–533
deaths, 125–140
Deka, R., 99–123
de la Luz Ayala-Madrigal, M., 449–455
Delpero, M., 191–198
Demerath, E. W., 1–9, 623–636
demographic and health surveys, 473–482
demography, 359–376
Derenko, M., 565–571
DHFRP2, 271–286
diabetes, 99–123
diagnosis of twins during prenatal period, 611–621
dialects, 41–64
Diehl, A. K., 11–28
Diéterlen, F., 181–190
"Distribution of Hemoglobin Phenotypes in Four Different Districts of Porto Velho, Rondônia, Brazil" (Brief Communication), 573–579
diversity, 73–81
dizygotic twinning rate, 611–621
Dodd, G. D., 11–28
Đokić, H., 581–587
dolichocephaly, 393–407
dopamine transporter gene (*DAT1*), 191–198
"Do Surname Differences Mirror Dialect Variation?" 41–64
Duggirala, R., 11–28
Dulik, M. C., 203–237, 675–677
Durán-González, J., 449–455
Duren, D. L., 1–9, 623–636
DXS548, 581–587, 593–600
DXYS156, 287–302
Dyer, T. D., 11–28, 623–636
DYS19, 287–302
DYS385, 287–302
DYS388, 287–302
DYS389, 287–302
DYS390, 287–302
DYS391, 287–302
DYS392, 287–302
DYS393, 287–302
DYS426, 287–302
DYS439, 287–302

Eaaswarkhanth, M., 601–609
early childhood nutrition, 393–407
East Asian migration routes, 239–250
"Effect of Sociocultural Cleavage on Genetic Differentiation: A Study from North India," 271–286
"Effects of Isolation and Inbreeding on Human Quantitative Traits: An Example of Biochemical Markers of Hemostasis and Inflammation," 513–533
Egypt, 141–159
Emberá, 287–302
England, 29–40, 65–72
Engracia, V., 573–579
Eriksson, A. W., 29–40, 125–140
ESD, 409–434
ethnic groups, 73–81
ethnicity, 473–482
European populations, 669–674

F13A1, 271–286
face anthropometry, 313–330
Fadhlaoui-Zid, K., 435–448
family study, 11–28
Farook, V. S., 11–28
Fatima, F., 501–512
Fellman, J., 29–40, 125–140
Fels Longitudinal Study, 1–9, 623–636
fertility transition, 359–376
"Fertility Transition: Forecast for Demography," 359–376
FES, 271–286
FGA, 271–286, 435–448, 601–609
fibrinogen, 513–533
Finland, 125–140
Flores, P., 593–600
FMR1, 581–587, 593–600
forensics, 287–302
founder effects, 203–237
Fowler, S., 11–28

"Fragile X Gene Stability in Basque Valleys: Prevalence of Premutation and Intermediate Alleles," 593–600
fragile X syndrome, 581–587, 593–600
France, 377–391
FRAXA, 581–587
FRAXAC1, 581–587, 593–600

gallbladder disease, 11–28
Garenne, M., 473–482
Gauniyal, M., 251–270
gene diversity parameters, 501–512
gene polymorphisms, 191–198
generalized linear mixed-effects model, 655–667
genetic admixture, 251–270
"Genetic Affinities of the Siddis of South India: An Emigrant Population of East Africa," 251–270
"Genetic Affinity Between Diverse Ethnoreligious Communities of Tamil Nadu, India: A Microsatellite Study," 601–609
"Genetic Architecture of Knee Radiographic Joint Space in Healthy Young Adults," 1–9
"Genetic Characterization and Assessment of Authenticity of Ancient Korean Skeletal Remains," 239–250
genetic dating, 335–357
genetic distance, 251–270
genetic diversity, 483–499
"Genetic Diversity of Serum Proteins in Some Muslim Populations of India," 501–512
genetic marker loci, 501–512
"Genetic Profiling of Genes from the Oxidative Stress Pathway Among North and South Indians," 161–179
genetics, 41–64
genetic susceptibility, 457–465
"Genetic Variation and Structure of the People of Uttarakhand, Central Himalayas, India," 409–434
Gepids, 655–667
Ghosh, A., 303–312
Girotti, M., 377–391
GLO1, 409–434
Gloria-Bottini, E., 359–376
Gloria-Bottini, F., 65–72
glutathione S-transferase genes (*GSTM1*, *GSTT1*, *GSTP1*, *GSTO1*), 161–179, 457–465
Gokcumen, O., 203–237, 675–677
Golalipour, M., 73–81
Gonsebatt, M. E., 457–465
Gónzalez, A. J., 593–600
González-Oliver, A., 287–302
GPI, 409–434
Granato, R., 11–28
Great Hungarian Plain, 655–667
Gubina, M., 203–237, 675–677
Gusmão, L., 435–448
Gutiérrez-Angulo, M., 449–455

haplogroups, 203–237, 239–250, 669–674
haplogroup U2d, 565–571
"Haplotype and AGG Interspersion Analysis of *FMR1* Alleles in a Croatian Population: No Founder Effect Detected in Patients with Fragile X Syndrome" (Brief Communication), 581–587
haplotypes, 203–237, 287–302, 581–587
haptoglobin (*HP*), 501–512
Haque, I., 601–609
Hasnain, A., 501–512
HB phenotype distribution, 573–579
head anthropometry, 313–330
"Head Shape and Size of Adult Males as Possible Indicators of Childhood Stress in Northern Jordan (1900–1978): A Study in Human Biology and Political Economy," 393–407
Hećimović, S., 581–587
Heeringa, W., 41–64
hemoglobin, 573–579
hemostasis, 513–533
heritability, 623–636, 637–654; of osteoarthritis, 1–9
Herrera, R. J., 483–499
heterosis, 513–533
heterozygosity, 501–512
Hindu caste groups, 601–609
Hindus, 271–286
history of human populations, 655–667

"History of the Peoples of the Great Hungarian Plain in the First Millennium: A Craniometric Point of View," 655–667
Holló, G., 655–667
Honzík, T., 669–674
Houshmand, M., 73–81
HPRT, 271–286
Huerta, L., 593–600
human evolution, 483–499
human populations, 565–571
Hungarians, 655–667
Huns, 655–667
hypertension, 303–312

IgG level, 65–72
inbreeding, 513–533
India, 161–179, 251–270, 271–286, 303–312, 409–434, 483–489, 501–512, 601–609, 611–621
Indian tribal groups, 601–609
individual genome-wide heterozygosity, 513–533
Indugula, S. R., 99–123
inflammation, 513–533
interethnic variability, 457–465
Iran, 73–81
Iraq, 73–81
Irulars, 601–609
isolation, 513–533
isolation by distance (IBD), 41–64
isonymy, 377–391
Italy, 65–72, 191–198, 359–376
Ivory Coast, 191–198

Janićijević, B., 513–533
Japanese, 313–330
Jelenkovic, A., 637–654
Jenkinson, C. P., 11–28
Jews, 73–81
Jordanians, 393–407
Jorde, L. B., 125–140
Juyal, R. C., 161–179

Keita, S. O. Y., 141–159
Khan, F., 271–286
Khodjet-El-Khil, H., 435–448
Kim, C.-Y., 239–250
kinship, 377–391
Klarić, I. M., 513–533
knee joint space, 1–9
Kolčić, I., 513–533
Koreans, 239–250, 313–330
Krauze, A., 573–579
Kshatriya, G. K., 251–270
Kuna, 287–302
Kuwait, 73–81

Lafontaine, R. M., 573–579
Lauc, L. B., 513–533
Leal-Ugarte, E., 449–455
Lee, H.-J., 313–330
Lee, H. Y., 239–250
Lee, M., 1–9, 623–636
Lian, L. H., 83–93
linguistics, 41–64
linkage, 581–587, 623–636
linkage analysis, 99–123
"Low Birth Weight and Allergy: Possible Pleiotropic Effect of ACP1," 65–72
Lowe, G., 513–533
Lozić, B., 581–587
Lucotte, G., 181–190

M129V polymorphism, 181–190
Macías-Gómez, N. M., 449–455
Magner, M., 669–674
Magrini, A., 65–72
Mahalanobis distances, 141–159
Majidizadeh, T., 73–81
malaria endemicity, 573–579
Malaysian population, 83–93
Malyarchuk, B., 565–571
Manni, F., 41–64
Marcsik, A., 655–667
marital duration, 473–482
Martinoli, R., 65–72
maternal age, 473–482, 611–621
matrimonial exchanges, 377–391
McGarvey, S. T., 99–123
"*MDR1* C3435T Polymorphism in Mexican Children with Acute Lymphoblastic Leukemia and in Healthy Individuals," 449–455
MDR1 gene, 449–455
mean measure of divergence, 535–564
Mehta, N., 203–237, 675–677

mental retardation, 581–587
Mercier, G., 181–190
Mesopotamia, 73–81
Mestizo, 449–455
methionine allele frequencies, 181–190
Mexican Americans, 11–28
Mexican Mestizos, 457–465
Mexican population, 449–455
Meza-Espinoza, J. P., 449–455
midchildhood growth spurt, 623–636
Middle East, 181–190
mitochondrial DNA, 239–250, 335–357, 565–571, 669–674
"Mitochondrial DNA Haplogroups in the Czech Population Compared to Other European Countries" (Brief Communication), 669–674
"Mitochondrial Haplogroup U2d Phylogeny and Distribution" (Brief Communication), 565–571
molecular chronology, 335–357
molecular phylogeography, 565–571
monozygotic twinning rate, 611–621
Moreno-Ortiz, J. M., 449–455
Mulligan, C. J., 287–302
multilocus heterozygosity, 513–533
Muslims, 271–286, 501–512, 601–609
mutation, 83–93

NAD(P)H dehydrogenase quinone 1 gene (*NQO1*), 161–179
NADPH gene, cytochrome b-245 alpha polypeptide gene (*CYBA*), 161–179
Nahhas, R. W., 623–636
Narančić, N. S., 513–533
Native Americans, 287–302
neighbor-joining tree, 271–286
Nerbonne, J., 41–64
Netherlands, 41–64
Ngobé, 287–302
Nicotra, M., 359–376
nitric oxide synthase genes (*NOS1*, *NOS2A*, *NOS3*), 161–179
nonrandom association, 251–270
North Africa, 435–448
North India, 271–286
North Indian populations, 483–499

obesity, 303–312
opposite-sex twins, 29–40
Osipova, L., 203–237, 675–677
osteoarthritis, 1–9
oxidative stress genes, 161–179

pairwise multiple comparisons of means, 655–667
Pal, S., 303–312
Palestinians, 393–407
Panama, 287–302
Pandey, A. K., 271–286
paraoxonase genes (*PON1*, *PON2*), 161–179
parity, 611–621
Park, M. J., 239–250
Park, S.-J., 313–330
Partida-Pérez, M., 449–455
"PCR-RFLP Genotyping of C1q Mutations and Single Nucleotide Polymorphisms in Malaysian Patients with Systemic Lupus Erythematosus," 83–93
PCR-RFLP method, 83–93
Peralta-Leal, V., 449–455
Peregrina-Sandoval, J., 449–455
Pérez-Morales, R., 457–465
Peričić, M., 513–533
perinatal mortality rate, 611–621
Perkova, M., 565–571
Petrovečki, M., 513–533
PGM1, 409–434
phylogenetic reconstruction, 271–286
Pitkänen, K., 125–140
plasminogen activator inhibitor gene (*PAI*), 161–179
Poisson variation, 473–482
"Poisson Variations of the Sex Ratio at Birth in African Demographic Surveys," 473–482
Polašek, O., 513–533
political economy, 393–407
polymorphism, 457–465
"Polymorphism of *CYP1A1*2C*, *GSTM1*0*, and *GSTT1*0* in a Mexican Mestizo Population: A Similitude Analysis," 457–465
"Population Distribution of the Methionine Allele at the PRNP Codon 129

Polymorphism in Europe and the Middle East," 181–190
population genetics, 191–198
population growth, 359–376
population structure, 435–448
Posukh, O., 203–237, 675–677
Poveda, A., 637–654
"Presentation, Heritability, and Genome-Wide Linkage Analysis of the Midchildhood Growth Spurt in Healthy Children from the Fels Longitudinal Study," 623–636
prion diseases, 181–190
prion protein (*PRNP*) gene, 181–190
Prost, M., 377–391
Puah, S. M., 83–93
Pulanić, D., 513–533
Punia, S., 161–179
Punjab, 611–621
Puppala, S., 11–28

QTL-ALL software, 99–123
quantitative trait locus, 99–123

ρ statistic, 335–357
Rabino-Massa, E., 377–391
Ramić, S., 513–533
Ramirez, J. M., 593–600
Rebato, E., 637–654
red blood cell markers, 251–270
red cell enzyme polymorphisms, 409–434
Renzetti, G., 65–72
Ricaut, F. X., 535–564
Rubinstein, S., 203–237, 675–677
Rubio, J., 457–465
Rudan, D., 513–533
Rudan, I., 513–533
Rudan, P., 513–533
Ruiz-Díaz, D., 449–455
Rumley, A., 513–533
"Russian Old Believers: Genetic Consequences of Their Persecution and Exile, as Shown by Mitochondrial DNA Evidence," 203–237

Sachat, R. K., 611–621
Sagalassos, 535–564
Salvarani, B., 191–198
same-sex twins, 29–40
Samudrala, N., 11–28
San Antonio Family Diabetes/Gallbladder Study (SAFDGS), 11–28
Sanati, M. H., 73–81
Santovito, A., 191–198
Sarmatians, 655–667
Satija, M., 611–621
Saxony, 29–40
Schneider, J., 11–28
Schurr, T. G., 203–237, 675–677
seasonality, 125–140
seasonality rates and indexes, 125–140
secondary sex ratio, 473–482
Sella, G., 191–198
Selvaggi, A., 191–198
serological markers, 251–270
Šetić, M., 513–533
sex ratio at birth, 473–482
Shariati, P., 73–81
Sharma, S., 611–621
Sherwood, R. J., 1–9, 623–636
Shin, K.-J., 239–250
short tandem repeats (STRs), 271–286, 287–302, 435–448
Siberia, 203–237
Siddis, 251–270
Siervogel, R. M., 1–9, 623–636
Silva, W. A., Jr., 573–579
Simões, A. L., 573–579
Singh, G. P. I., 611–621
Singh, H., 409–434
Singh, P., 409–434
single nucleotide polymorphism (SNP), 83–93
Slavs, 203–237
Smelser, D., 99–123
Soltani, N. J., 73–81
Soni, R. K., 611–621
South India, 251–270
stature, 99–123
Steele, M. S., 99–123
stillbirth rate, 29–40
STR. *See* short tandem repeats
sub-Saharan Africa, 473–482
"Substructure of a Tunisian Berber Population as Inferred from 15

Autosomal Short Tandem Repeat Loci," 435–448
Sun, G., 99–123
Sun, S. S., 1–9
superoxide dismutase genes (*SOD2*, *SOD3*), 161–179
"Surname Analysis in Biological Anthropology: Alpine Populations in the 17th and 18th Centuries," 377–391
surname endogamy, 271–286
surnames, 41–64
Susanne, C., 637–654
Sweden, 29–40
systemic lupus erythematosus (SLE), 83–93
Szathmáry, L., 655–667

Tada, M. S., 573–579
Talwar, S., 271–286
Tamil Nadu, 601–609
Tan, S. Y., 83–93
Téllez, M., 593–600
"Temporal, Seasonal, and Regional Differences in Births and Deaths in Åland (Finland)," 125–140
"Temporal Variation in Phenetic Affinity of Early Upper Egyptian Male Cranial Series," 141–159
Tesařová, M., 669–674
Thelma, B. K., 161–179
THO1, 271–286, 435–448, 601–609
tissue plasminogen activator (tPA), 513–533
tissue plasminogen activator gene (*TPA*), 161–179
Tiwari, A. K., 161–179
Toupance, B., 41–64
Towne, B., 1–9, 623–636
TPO, 271–286
TPOX, 435–448, 601–609
transferrin (*TF*), 501–512
Trefilová, E., 669–674
tribal populations, 409–434
Tripathi, M., 271–286, 483–499
Tripathi, P., 483–499
Tsai, H.-J., 99–123
Tuitele, J., 99–123
tumor necrosis factor alpha gene (*TNFA*), 161–179
Tunisia, 435–448
Turkmen, 73–81
"Twinning and Its Correlates: Community-Based Study in a Rural Area of India," 611–621
twinning rates, 611–621
two-dimensional linkage, 99–123

uncoupling protein genes (*UCP1*, *UCP2*), 161–179
Uttarakhand, 409–434

Vanecek, T., 565–571
variance components, 637–654
variance components analysis, 11–28
"Variation of *DAT1* VNTR Alleles and Genotypes Among Old Ethnic Groups in Mesopotamia to the Oxus Region," 73–81
vascular endothelial growth factor gene (*VEGFA*), 161–179
Vasulu, T. S., 601–609
Venezuela, 287–302
Vidrová, V., 669–674
VNTR, 73–81
von Willebrand factor (vWF), 513–533
Vorko-Jović, A., 513–533
VWA, 271–286, 435–448, 601–609

Waelkens, M., 535–564
Wales, 29–40
Weeks, D. E., 99–123
Western Europe, 181–190
Williams, K. D., 623–636
Wounan, 287–302

xenobiotic metabolism, 457–465
x-ray, 1–9

Y chromosome, 287–302
"Y-Chromosome Variability in Four Native American Populations from Panama," 287–302
Yoo, J.-E., 239–250

Zeman, J., 669–674
Zgaga, L., 513–533
Zhadanov, S., 203–237, 675–677
Zoroastrians, 73–81